

# AdVision SDK for Android

### Installation method

Version 1.2.1

# Import the SDK project

# <u>Step1</u>

The AdVisionAndroidSdk.jar import Android engineering Curry.

# Step2

Include advertising in the program Layout XML (code below).

#### <LinearLayout android:layout\_width="wrap\_content" android:layout\_height="wrap\_content"> <com.yicha.android.ads.AdVision android:id="@+id/ advision" android:layout\_width="wrap\_content" android:layout\_height="wrap\_content" /> </LinearLayout>

# Step3

Activity Class Initializes the AdVision class.

AdStart ("YOUR\_SID") into SID from AdVision is placed in the foreground.

```
AdVision adv = (AdVision)findViewById(R.id.advision);
adv.AdStart("YOUR_SID");
```



# Step4

#### The AndroidManifest.xml adding as privileges.

<uses-permission android:name="and&lt;/th&gt;&lt;th&gt;lroid.permission.INTERNET"></uses-permission>
<uses-permission android:name="and&lt;/td&gt;&lt;th&gt;lroid.permission.ACCESS_NETWORK_STATE"></uses-permission>

# Step5

1

#### AndroidManifest.XML into the application label activity.

<activity android:name="com.yicha.android.ads.VPActivity"

android:configChanges="orientation|keyboardHidden" />

Final results are as follows:

3	<pre>wanifest xmlns:android="http://schemas.android.com/apk/res/android" package="com.yicha.android.AdVisionSample"</pre>
4	android:versionCode="2"
5	android;versionName="2.0">
6	
2	
	<pre><application :<="" android:icon="@drawable/icon" android:label="@string/app name" pre=""></application></pre>
je)	<activity <="" android:name=".AdVisionSample" td=""></activity>
2	android:label="@string/app name">
10	<intent-filter></intent-filter>
2	<pre>dection android:name="android.intent.action.MAIN" /&gt;</pre>
з	<pre><cstegory android:name="android.intent.category.LAUNCHER"></cstegory></pre>
4	
5	
6789	<pre><activity android:configchanges="orientation keyboardHidden" android:name="com.yichs.android.ads.VPActivity"></activity></pre>
1	
2	<pre><uses-permission android:name="android.permission.INTERNET"></uses-permission> <uses-permission android:name="android.permission.ACCESS_NETWORK_STATE"></uses-permission></pre>
	<pre>/ronifest&gt;</pre>
	() Relificator

Copyright (C) 2011 Yicha All Rights Reserved.



### Event listening

There are no ads in the library to be able to listen to the background.

```
import com.yicha.android.ads.AdVisionListener;
public class YOUR_CLASS extends Activity implements AdVisionListener{
         AdVision adv = (AdVision)findViewById(R.id.advision);
         adv.AdStart("YOUR_SID");
         //Events of early listens
         adv. setAdVisionListener(this);
         @Override
         public void onNoReceiveAd (String error) {
                  //No ads
                  //Communication problems, set an error such as no advertising except for
         }
         @Override
         public void onReceiveAd () {
                  //No ads into advertising
         }
  }
  *Listen red section above can be achieved
```

# About confuse

If you want to make your app support confusion (Proguard), please refer to the following to modify your ProGuard.Cfg file-keep class com.yicha.android.ads.\*\*{\*;}

# Historical versions

(-) 1.2.1

- 1, Added video playback plug-in
- 2, Increase the confused app support
- (二) 1.2.0

Copyright (C) 2011 Yicha All Rights Reserved.



- 1, Added eight new click effect.
- 2, Added custom ads rotating time.
- 3, New ad switching animation effects.

# Upgrade notice

- $1.1.^{\star}$  version and upgrade to 1.2.0 developers 1.2.1 version:
- 1, Replace the AdVision SDK
- 2, Add Activity labels to AndroidManifest.Inside the application tag in the XML file:

<activity android:name="com.yicha.android.ads.VPActivity"

android:configChanges="orientation|keyboardHidden" />